



Intelligent Stewardship™

Material Safety Data Sheet

T-PRO® 550

Achieve Peak Performance and Enhanced Safety

Achieve optimal performance with our comprehensive safety data sheet for **Lithic Industries T-PRO® 550** polymer. This informative document offers detailed safety guidelines, precautionary measures, and suggested usage conditions. Strict adherence to these guidelines is critical for maximizing overall performance unless unique project circumstances dictate alternative measures.

For tailored project support, contact your designated Lithic Industries® representative.

1. IDENTIFICATION OF SUBSTANCE/PREPARATION AND COMPANY

Product Name: Lithic Material T-PRO® 550

Main Use: For industrial use.
Most commonly used as a binder.

Company: Lithic Industries, LLC
18 S. Main, Suite 919
Temple, TX 76501 USA

Telephone: +1.254.314.8656

2. COMPOSITION INFORMATION

Component	CAS #	Amount
Water	7732-18-5	>=45.0 - <=55.0%
Styrene-butadiene-based polymer	Trade secret	>=45.0 - <=55.0%

3. HAZARDS IDENTIFICATION

Classification of the Substance or Mixture: This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Other Hazards: No data available

4. FIRST-AID MEASURES

Description of First-Aid Measures

General Advice: If potential for exposure exists, refer to Section 8 for specific personal protective equipment.

Inhalation: Move person to fresh air; if effects occur, consult a physician.

Skin Contact: Wash skin with plenty of water.

Eye Contact: Flush eyes thoroughly with water for several minutes. Remove contact lenses after the initial 1-2 minutes and continue flushing for several additional minutes. If effects occur, consult a physician, preferably an ophthalmologist.

Ingestion: No emergency medical treatment necessary.

Most Important Symptoms and Effects, Both Acute and Delayed

Aside from the information found under Description of First-Aid Measures (above) and Indication of Immediate Medical Attention and Special Treatment Needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

Indication of Immediate Medical Attention and Special Treatment Needed

No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: To extinguish combustible residues of this product, use water fog, carbon dioxide, dry chemical, or foam.

Special Hazards Arising From the Substance or Mixture

Hazardous Combustion Products: Under fire conditions, some components of this product may decompose. The smoke may contain unidentified toxic and/or irritating compounds. Combustion products may include and are not limited to: carbon dioxide, carbon monoxide, dense smoke, and organic compounds.

Unusual Fire and Explosion Hazards: This material will not burn until the water has evaporated. Residue can burn. Upon burning, the dry product generates dense black smoke.

Additional Insight

Fire-Fighting Procedures: Keep people away. Isolate fire and deny unnecessary entry. To extinguish combustible residues of this product, use water fog, carbon dioxide, dry chemical, or foam.

Special Protective Equipment for Firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire-fighting clothing (includes fire-fighting helmet, coat, trousers, boots, and gloves). If protective equipment is not available or not used, fight fire from a protected location or safe distance.



6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and

Emergency Procedures: Use appropriate safety equipment. For additional information, refer to *Section 8: Exposure Controls and Personal Protection*.

Environmental Precautions: Prevent from entering into soil, ditches, sewers, waterways, and/or groundwater. See *Section 12: Ecological Information*.

Methods and Materials for Containment and Cleaning Up:

Recover spilled material if possible. If unable to recover, then proceed with appropriate cleanup methods. Absorb with materials such as: Clay. Sand. Sawdust. Vermiculite. Collect in suitable and properly labeled containers. Water may be used for final cleaning of affected area. Wash water should be disposed of in accordance with local regulations. See *Section 13: Disposal Considerations*, for additional information.

7. HANDLING AND STORAGE

Handling

General Handling: Avoid prolonged or repeated contact with skin. See *Section 8: Exposure Controls and Personal Protection*.

Storage

Store between 4.4°C (40°F) and 43.3°C (110°F). May coagulate if frozen at 0°C (32°F). Material may develop bacteria odor on long-term storage. No safety problems known.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Limits

Exposure limits have not been established for those substances listed in the composition, if any have been disclosed.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION (CONTINUED)

Personal Protection

Eye/Face Protection: Use safety glasses (with side shields).

Skin Protection: Wear clean, body-covering clothing.

Hand Protection: Use gloves chemically resistant to this material when prolonged or frequently repeated contact could occur. Examples of preferred glove barrier materials include: chlorinated polyethylene Polyethylene, ethyl vinyl alcohol laminate ("EVAL"), polyvinyl chloride ("PVC" or "vinyl"), and viton. Examples of acceptable glove barrier materials include: butyl rubber, natural rubber ("latex"), neoprene, and nitrile/butadiene rubber ("nitrile" or "NBR"). Avoid gloves made of: Polyvinyl alcohol ("PVA").

NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors, including, but not limited to: other chemicals that may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, and the instructions/specifications provided by the glove supplier.

Respiratory Protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort, have been experienced or where indicated by your risk assessment process. In misty atmospheres, use an approved particulate respirator. The following should be effective types of air-purifying respirators: particulate filter.

Ingestion: Use good personal hygiene. Do not consume or store food in the work area. Wash hands before smoking or eating.

Engineering Controls

Ventilation: Use local exhaust ventilation or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.



9. PHYSICAL AND CHEMICAL PROPERTIES

Physical Stat: Dispersion
Color: White
Odor: Characteristic
Odor Threshold: No test data available
pH: 6.5 - 9.5 <i>Estimated</i>
Melting Point: 0 °C (32 °F) <i>Literature</i> (water)
Freezing Point: 0 °C (32 °F) <i>Literature</i> (water)
Boiling Point (760 mmHg): 100 °C (212 °F) <i>Literature</i> (based on water)
Flash Point – Closed Cup: <i>Not applicable</i> water-based product
Evaporation Rate (Butyl Acetate=1): Similar to water
Flammability (solid, gas): No
Flammable Limits in Air: Lower: No test data available Upper: No test data available
Vapor Pressure: 17.5 mmHg @20°C <i>Literature</i> (water)

Vapor Density (air=1): 0.6 <i>Literature</i> water vapor
Specific Gravity (H2O=1): 0.95 - 1.10 <i>Estimated</i>
Solubility in Water (by weight): <i>Visual</i> Miscible with water in all proportions
Partition Coefficient, Noctanol/Water (log Pow): No data available for this product
Autoignition Temperature: <i>Not applicable</i> water-based product
Decomposition: No test data available
Temperature:
Kinematic Viscosity: <500 cSt <i>Estimated</i>
Explosive Properties: No Assessment based on structural analysis
Oxidizing Properties: No Assessment based on structural analysis
Molecular Weight: Technically not possible to determine molecular weight

10. STABILITY AND REACTIVITY

Reactivity: No dangerous reaction known under conditions of normal use.

Chemical Stability: Stable under recommended storage conditions. See *Section 7: Handling and Storage*.

Possibility of Hazardous Reactions: Polymerization will not occur.

Conditions to Avoid: Can coagulate if frozen. The dry resin is combustible.

Incompatible Materials: Addition of chemicals, such as acids or multivalent metal salts, may cause coagulation.

Hazardous Decomposition Products: Decomposition products depend upon temperature, air supply, and the presence of other materials.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Ingestion: Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.

For this family of materials: LD50, rat > 5,000 mg/kg.

Aspiration Hazard: Based on physical properties, not likely to be an aspiration hazard.

Dermal: Prolonged skin contact is unlikely to result in absorption of harmful amounts.

For this family of materials: LD50, rat > 2,000 mg/kg.

Inhalation: No adverse effects are anticipated from single exposure to vapor. Mist may cause irritation of upper respiratory tract (nose and throat). For this family of materials: The LC50 has not been determined.

Eye Damage/Eye Irritation: May cause slight temporary eye irritation. Corneal injury is unlikely.

Skin Corrosion/Irritation: Brief contact is essentially nonirritating to skin. Prolonged contact may cause slight skin irritation with local redness. Latex may stick to skin, causing irritation upon removal.

Sensitization

Skin: For this family of materials, sensitization studies done in guinea pigs have been negative.

Respiratory: No relevant data found.

Repeated Dose Toxicity: For this family of materials: Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

Chronic Toxicity and Carcinogenicity: No relevant data found.

Developmental Toxicity: No relevant data found.

Reproductive Toxicity: No relevant data found.

Genetic Toxicology: No relevant data found.



12. ECOLOGICAL INFORMATION

Toxicity

For This Family of Materials: Material is practically nontoxic to aquatic organisms on an acute basis (LC50/EC50/ EL50/ LL50 >100 mg/L in the most sensitive species tested).

Fish Acute & Prolonged Toxicity: For this family of materials: LC50, Oncorhynchus mykiss (rainbow trout), 96 h: > 100 mg/l Aquatic Invertebrate.

Aquatic Invertebrate Acute Toxicity: For this family of materials: EC50, Daphnia magna (Water flea), 48 h, immobilization: > 100 mg/l.

Persistence and Degradability: Although the polymers are not biodegradable, they would likely be removed in biological wastewater treatment plants by adsorption to biosolids.

Bioaccumulative Potential

Bioaccumulation: No bioconcentration of the polymeric component is expected because of its high molecular weight. Latex dispersions will color water a milky white.

Mobility in Soil

Mobility in Soil: No relevant data found.

Results of PBT and vPvB assessment

This mixture has not been assessed for persistence, bioaccumulation, and toxicity (PBT).

Other Adverse Effects: No relevant data found.

13. DISPOSAL CONSIDERATIONS

Disposal Methods

DO NOT DUMP INTO ANY SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER. All disposal practices must be in compliance with all Federal, State/Provincial, and local laws and regulations. Regulations may vary in different locations. Waste characterizations and compliance with applicable laws are the responsibility solely of the waste generator. AS YOUR SUPPLIER, WE HAVE NO CONTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL. THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION, AS DESCRIBED IN MSDS SECTION: Composition Information. FOR UNUSED & UNCONTAMINATED PRODUCT, the preferred options include sending to a licensed, permitted incinerator, or other thermal destruction device.

14. TRANSPORT INFORMATION

DOT Non-Bulk: NOT REGULATED

DOT Bulk: NOT REGULATED

IMDG: NOT REGULATED

ICAO/IATA: NOT REGULATED

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations, and rules relating to the transportation of the material.

15. REGULATORY INFORMATION

OSHA Hazard Communication Standard

This product is not a “Hazardous Chemical” as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

Immediate (Acute) Health Hazard: No

Delayed (Chronic) Health Hazard: No

Fire Hazard: No

Reactive Hazard: No

Sudden Release of Pressure Hazard: No

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313: To the best of our knowledge, this product does not contain chemicals at levels that require reporting under this statute.

Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Hazardous Substance List and/or Pennsylvania Environmental Hazardous Substance List: To the best of our knowledge, this product does not contain chemicals at levels that require reporting under this statute.

Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Special Hazardous Substance List: To the best of our knowledge, this product does not contain chemicals at levels that require reporting under this statute.

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986): This product contains no listed substances known to the State of California to cause cancer, birth defects, or other reproductive harm at levels that would require a warning under the statute.

US. Toxic Substances Control Act: All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30.

CEPA – Domestic Substances List (DSL): All substances contained in this product are listed on the Canadian Domestic Substances List (DSL) or are not required to be listed.



16. OTHER INFORMATION

Revision

Identification Number: 81325 / 1810 / Issue Date 02/24/2016 / Version: 5.0

Most recent revision(s) are noted by the bold double bars in left-hand margin throughout this document.

Legend

N/A: Not Available
W/W: Weight/Weight
OEL: Occupational Exposure Unit
STEL: Short-Term Exposure Unit
TWA: Time-Weighted Average
ACGIH: American Conference of Governmental Industrial Hygienists, Inc.

DOW IHG: Dow Industrial Hygiene Guideline
WEEL: Workplace Environmental Exposure Level
HAZ_DES: Hazard Destination
Action Level: A value set by OSHA that is lower than the PEL, which will trigger the need for activities, such as exposure monitoring and medical surveillance, if exceeded.

Lithic Industries® urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial, or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.

©2023 Lithic Industries, LLC. All Rights Reserved.
 18 S. Main, Suite 919, Temple, Texas, 76501 USA
 +1.254.314.8656 | info@lithicindustries.com | lithicindustries.com